



TUBULAR NETTING

Tubular Netting - a complete packaging solution system. Soft, strong, natural feel, suitable for all packing units, well tested. Available in sleeves, rolls and loose in sacks.

APPLICATION:

- Soft, Strong natural feeling.
- Suitable for all packing units (manual or automatic).
- Resistance 1 to 3 kg.
- Wide Colour Range.
- Packaging In sleeves, rolls or loose.
- Wide range of knitted meshes (Rhombus, Minimesh, L-Z, KARO).
- High Quality Control.

TUBULAR NETTING

We offer a wide range of complete packaging solutions for the packaging of fruits, dried fruits, confectionery, nuts and vegetables.

Tubular nets are a cost effective and visually attractive packaging solution, offering effective containment and allowing the visibility of the products packed, therefore reducing the risk of packaging being damaged when opened.

Our nets are manufactured using modern plant equipment, machinery and technology and our products are certified with the ISO 9001. The quality

of our nets conforms with the European standards relating to plastics in contact with food. They are non-toxic and leave no harmful chemical traces in food products.





PACKAGING

Number of threads	Rolls/pallet		Sleeves in m	Sacks	Bales/pallet		Pallets/ truck	Pallets/ 20ft ctr	Pallets/ 40ft ctr
	truck	ctr			truck	ctr			
60	-	-	50 x 100	-	18	15	27 - 31	8 - 11	18 - 23
72 - 80	108	108	18 x 250	4 x 1.000	18	15	27 - 31	8 - 11	18 - 23
92 - 100 - 104	108	108	14 x 250	4 x 1.000	18	15	27 - 31	8 - 11	18 - 23

PRODUCTS	TECHNICAL SPECIFICATIONS																																																				
Knitted style	<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="width: 20%;">For manual use</th> <th style="width: 20%;">Raw materials</th> <th style="width: 20%;">Width in cm</th> <th style="width: 40%;">Yarns</th> </tr> </thead> <tbody> <tr> <td>MK</td> <td>RHOMBUS</td> <td>HDPE</td> <td>20 - 60</td> </tr> <tr> <td>MK</td> <td>KARO</td> <td>HDPE</td> <td>20 - 60</td> </tr> <tr> <td>MZ</td> <td>LZ</td> <td>HDPE</td> <td>20 - 60</td> </tr> <tr> <td colspan="4" style="text-align: center;">Usually consisted of 60 threads</td> </tr> <tr> <td colspan="4" style="text-align: center;">For automatic use</td> </tr> <tr> <td>AK</td> <td>RHOMBUS</td> <td>HDPE</td> <td>30 - 60</td> </tr> <tr> <td>AK</td> <td>KARO</td> <td>HDPE</td> <td>30 - 60</td> </tr> <tr> <td>AZ</td> <td>LZ</td> <td>HDPE</td> <td>30 - 60</td> </tr> <tr> <td>AM</td> <td>MINIMESH</td> <td>HDPE</td> <td>30 - 60</td> </tr> <tr> <td>AK</td> <td>KARO / RHOMBUS</td> <td>PP YARN</td> <td>30 - 60</td> </tr> <tr> <td colspan="4" style="text-align: center;">Usually consisted of 72 / 80 / 92 / 100 / 104 threads</td> </tr> <tr> <td colspan="4" style="text-align: center;">Usually consisted of 72 / 80 threads</td> </tr> </tbody> </table>	For manual use	Raw materials	Width in cm	Yarns	MK	RHOMBUS	HDPE	20 - 60	MK	KARO	HDPE	20 - 60	MZ	LZ	HDPE	20 - 60	Usually consisted of 60 threads				For automatic use				AK	RHOMBUS	HDPE	30 - 60	AK	KARO	HDPE	30 - 60	AZ	LZ	HDPE	30 - 60	AM	MINIMESH	HDPE	30 - 60	AK	KARO / RHOMBUS	PP YARN	30 - 60	Usually consisted of 72 / 80 / 92 / 100 / 104 threads				Usually consisted of 72 / 80 threads			
	For manual use	Raw materials	Width in cm	Yarns																																																	
	MK	RHOMBUS	HDPE	20 - 60																																																	
	MK	KARO	HDPE	20 - 60																																																	
	MZ	LZ	HDPE	20 - 60																																																	
	Usually consisted of 60 threads																																																				
	For automatic use																																																				
	AK	RHOMBUS	HDPE	30 - 60																																																	
	AK	KARO	HDPE	30 - 60																																																	
	AZ	LZ	HDPE	30 - 60																																																	
AM	MINIMESH	HDPE	30 - 60																																																		
AK	KARO / RHOMBUS	PP YARN	30 - 60																																																		
Usually consisted of 72 / 80 / 92 / 100 / 104 threads																																																					
Usually consisted of 72 / 80 threads																																																					
Custom-made nettings are possible with special characteristics for specific applications.																																																					



KARATZIS S.A. · INDUSTRIAL AREA 711 · 10 HERAKLION · P.O. BOX 1490 CRETE · GREECE
TEL. +30(2810)380901 · FAX +30(2810)381400 · E-MAIL SALES@KARATZIS.GR

MORE DETAILED INFORMATION UNDER WWW.KARATZIS.COM